

SAFETY DATA SHEET

Dichloromethane EasyFix - thin



ALTERNATIVE PLASTICS LTD

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Dichloromethane EasyFix - thin

REACH registration No.: Not available

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category: Industrial use, Professional Use

Use of the substance/mixture: Bonding plastics

1.2.2. Uses advised against

No additional information available

1.3 Details of the supplier of the safety data sheet

Supplier

Company Name: Alternative Plastics Ltd
Unit 1, Buckingham Close
Bermuda Industrial Estate
Nuneaton
Warwickshire
CV10 7JT
UK

Tel: +44 (0)2476 641210

Email: sales@alternativeplastics.co.uk

1.4. Emergency telephone number

Emergency number : +44 (0)2476 641210 (Office hours only)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SAFETY DATA SHEET

Dichloromethane EasyFix - thin



ALTERNATIVE PLASTICS LTD

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Contains: Dichloromethane

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Carcinogenicity, Category 2	H351
Specific target organ toxicity – Single exposure, Category 3, Narcosis	H336

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP):



Signal words:

Warning

Hazard statements:

H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H336 - May cause drowsiness or dizziness.
H351 - Suspected of causing cancer.

Precautionary statements:

P201 - Obtain special instructions before use.
P261 - Avoid breathing dust/fumes/gas/mist/vapours/spray.
P264 - Wash skin thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312 - Call a POISON CENTER or doctor if you feel unwell.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308+313 - IF exposed or concerned: Get medical advice/attention.

2.3. Other hazards

The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SAFETY DATA SHEET

Dichloromethane EasyFix - thin



ALTERNATIVE PLASTICS LTD

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type : Mono-constituent

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dichloromethane	CAS-No.: 75-09-2	100	Skin Irrit. 2, H315
	EC-No.: 200-838-9		Eye Irrit. 2, H319
Synonyms:	EC Index-No.: 602-004-00-3		Carc. 2, H351
Methylene Chloride			STOT SE 3, H336

Full text of H- and EUH-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation:	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact:	Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion:	Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation:	Inhalation may cause irritation (cough, short breathing, difficulty in breathing).
Symptoms/effects after skin contact:	Causes skin irritation. irritation (itching, redness, blistering). Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact:	redness, itching, tears. Causes eye irritation. stinging.
Symptoms/effects after ingestion:	Ingestion may cause nausea and vomiting. May be harmful if swallowed. May cause irritation to the digestive tract.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:	Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media:	Do not use a heavy water stream.

SAFETY DATA SHEET

Dichloromethane EasyFix - thin



ALTERNATIVE PLASTICS LTD

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire: Carbon monoxide. Chlorine.

5.3. Advice for firefighters

Precautionary measures fire: Evacuate area.

Protection during firefighting: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures: Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Stop leak if safe to do so.

6.1.1. For non-emergency personnel

Emergency procedures: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment: Cover spill with non combustible material, e.g.: sand, earth, vermiculite.

Methods for cleaning up: Take up liquid spill into absorbent material. Absorb remaining liquid with sand or inert absorbent and remove to safe place. Notify authorities if product enters sewers or public waters.

Other information: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes.

Hygiene measures: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

SAFETY DATA SHEET

Dichloromethane EasyFix - thin



ALTERNATIVE PLASTICS LTD

7.2. Conditions for safe storage, including any incompatibilities

Technical measures:	Ground/bond container and receiving equipment.
Storage conditions:	Store in a well-ventilated place. Keep cool. Keep container tightly closed.
Storage area:	Store away from heat.
Special rules on packaging:	Keep only in original container.
Packaging materials:	Keep only in the original container in a cool, well-ventilated place away from combustible materials.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Dichloromethane Synonyms: Methylene Chloride (75-09-2)	
Ireland - Occupational Exposure Limits	
OEL TWA [1]	353 mg/m ³
OEL TWA [2]	100 ppm
OEL STEL	706 mg/m ³
OEL STEL	200 ppm
Remark	Can be absorbed through the skin
United Kingdom - Occupational Exposure Limits	
Local name	Dichloromethane
WEL TWA (OEL TWA) [1]	353 mg/m ³
WEL TWA (OEL TWA) [2]	100 ppm
WEL STEL (OEL STEL)	706 mg/m ³
WEL STEL (OEL STEL) [ppm]	200 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

SAFETY DATA SHEET

Dichloromethane EasyFix - thin



ALTERNATIVE PLASTICS LTD

United Kingdom - Biological limit values	
Local name	Dichloromethane
BMGV	30 ppm Parameter: carbon monoxide - Medium: end-tidal breath - Sampling time: Post shift
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Dichloromethane Synonyms: Methylene Chloride (75-09-2)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	12 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	353 mg/m ³
Long-term - local effects, inhalation	706 mg/m ³
DNEL/DMEL (General population)	
Acute - systemic effects, inhalation	353 mg/m ³
Long-term - systemic effects, oral	0.06 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	88.3 mg/m ³
Long-term - systemic effects, dermal	5.82 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.31 mg/l
PNEC aqua (marine water)	0.031 mg/l
PNEC aqua (intermittent, freshwater)	0.27 mg/l
PNEC aqua (intermittent, marine water)	0.027 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	2.57 mg/kg dwt
PNEC sediment (marine water)	0.26 mg/kg dwt

SAFETY DATA SHEET

Dichloromethane EasyFix - thin



ALTERNATIVE PLASTICS LTD

PNEC (Soil)	
PNEC soil	0.33 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	26 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure Controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

Eye protection			
Type	Field of application	Characteristics	Standard
Safety glasses, Safety goggles	Dust, Fine dust	With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Butyl rubber, Polyvinylchloride (PVC)	5 (> 240 minutes)	0.44		EN 374-2

SAFETY DATA SHEET

Dichloromethane EasyFix - thin



ALTERNATIVE PLASTICS LTD

8.2.2.3. Respiratory protection

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection			
Device	Filter type	Condition	Standard
Aerosol mask	ABEK	Vapour protection, Protection for Liquid particles	EN 14387, EN143

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Colourless.
Odour:	Sweet.
Odour threshold:	250 ppm
Melting point:	-95 °C Atm. press.: 101,3 kPa Decomposition: 'no'
Freezing point:	Not available
Boiling point:	40 °C Atm. press.: 101,3 kPa Decomposition: 'no'
Flammability:	Not applicable
Lower explosion limit:	13 vol %
Upper explosion limit:	22 vol %
Flash point:	Not available
Auto-ignition temperature:	605 °C
Decomposition temperature:	Not available
pH:	7
Viscosity, kinematic:	0.31 mm ² /s
Viscosity, dynamic:	0.42 mPa·s Temp.: 'other:' Parameter: 'dynamic viscosity (in mPa s)'
Solubility:	Water: 20 g/l
Partition coefficient n-octanol/water (Log Kow):	Not available
Partition coefficient n-octanol/water (Log Pow):	1.25
Vapour pressure: 58400 Pa Temp.:	25 °C
Vapour pressure at 50°C:	Not available
Density:	1.33 g/cm ³ Type: 'density' Temp.: 20 °C
Relative density:	1.33 Type: 'relative density' Temp.: 20 °C
Relative vapour density at 20°C:	Not available
Particle characteristics:	Not applicable

SAFETY DATA SHEET

Dichloromethane EasyFix - thin



ALTERNATIVE PLASTICS LTD

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Stable under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases. Acids.

10.6. Hazardous decomposition products

Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral): Not classified

Acute toxicity (dermal): Not classified

Acute toxicity (inhalation): Not classified

Dichloromethane		Synonyms: Methylene Chloride (75-09-2)
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat	86 mg/l	

Skin corrosion/irritation:

Prolonged skin contact may defat the skin and produce dermatitis. May cause irritation of the mucous membranes.

pH: 7

SAFETY DATA SHEET



ALTERNATIVE PLASTICS LTD

Dichloromethane EasyFix - thin

Serious eye damage/irritation:	Severe eye irritation pH: 7
Respiratory or skin sensitisation:	Not classified
Germ cell mutagenicity:	Not classified
Carcinogenicity:	Suspected of causing cancer.
Reproductive toxicity:	Not classified
STOT-single exposure:	May cause drowsiness or dizziness.
STOT-repeated exposure:	Not classified

Dichloromethane	Synonyms: Methylene Chloride (75-09-2)
NOAEL (oral, rat, 90 days)	6 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

Aspiration hazard: Not classified

Dichloromethane	Synonyms: Methylene Chloride (75-09-2)
Viscosity, kinematic	0.31 mm ² /s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute): Not classified

Hazardous to the aquatic environment, long-term (chronic): Not classified

Not rapidly degradable

Dichloromethane	Synonyms: Methylene Chloride (75-09-2)
LC50 - Fish [1]	193 mg/l Test organisms (species): Pimephales promelas
EC50 96h - Algae [1]	> 662 mg/l (Pseudokirchneriella subcapitata (green algae)
NOEC chronic fish	83 mg/l (Pimephales promelas (fathead minnow); 28 d)

12.2. Persistence and degradability

No additional information available

SAFETY DATA SHEET

Dichloromethane EasyFix - thin



ALTERNATIVE PLASTICS LTD

12.3. Bioaccumulative potential

Dichloromethane Synonyms : Methylene Chloride (75-09-2)

Partition coefficient n-octanol/water (Log Pow)

1.25

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information: Flammable vapours may accumulate in the container.

SAFETY DATA SHEET

Dichloromethane EasyFix - thin



ALTERNATIVE PLASTICS LTD

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 1593	UN 1593	UN 1593	UN 1593	UN 1593
14.2. UN proper shipping name				
DICHLOROMETHANE	DICHLOROMETHANE	Dichloromethane	DICHLOROMETHANE	DICHLOROMETHANE
Transport document description				
UN 1593 DICHLOROMETHANE, 6.1, III, (E)	UN 1593 DICHLOROMETHANE, 6.1, III	UN 1593 Dichloromethane, 6.1, III	UN 1593 DICHLOROMETHANE, 6.1, III	UN 1593 DICHLOROMETHANE, 6.1, III
14.3. Transport hazard class(es)				
6.1	6.1	6.1	6.1	6.1
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

SAFETY DATA SHEET

Dichloromethane EasyFix - thin




ALTERNATIVE PLASTICS LTD

14.6. Special precautions for user

Overland transport

Classification code (ADR):	T1
Special provisions (ADR):	516
Limited quantities (ADR):	5I
Excepted quantities (ADR):	E1
Packing instructions (ADR):	P001, IBC03, LP01, R001
Special packing provisions (ADR):	B8
Mixed packing provisions (ADR):	MP19
Portable tank and bulk container instructions (ADR):	T7
Portable tank and bulk container special provisions (ADR):	TP2
Tank code (ADR):	L4BH
Tank special provisions (ADR):	TU15, TE19
Vehicle for tank carriage:	AT
Transport category (ADR):	2
Special provisions for carriage - Packages (ADR):	V12
Special provisions for carriage - Loading, unloading and handling (ADR):	CV13, CV28
Special provisions for carriage - Operation (ADR):	S9
Hazard identification number (Kemler No.):	60



Orange plates :

Tunnel restriction code (ADR):	E
EAC code:	2Z

Transport by sea

Limited quantities (IMDG):	5 L
Excepted quantities (IMDG):	E1
Packing instructions (IMDG):	P001, LP01
IBC packing instructions (IMDG):	IBC03
IBC special provisions (IMDG):	B8
Tank instructions (IMDG):	T7
Tank special provisions (IMDG):	TP2
EmS-No. (Fire):	F-A
EmS-No. (Spillage):	S-A
Stowage category (IMDG):	A
Segregation (IMDG):	SGG10
Properties and observations (IMDG) :	Colourless, volatile liquid with heavy vapours. Boiling point: 40°C. When involved in a fire, evolves extremely toxic fumes (phosgene). Toxic if swallowed, by skin contact or by inhalation.

Air transport

PCA Excepted quantities (IATA):	E1
PCA Limited quantities (IATA):	Y642
PCA limited quantity max net quantity (IATA):	2L
PCA packing instructions (IATA):	655
PCA max net quantity (IATA):	60L
CAO packing instructions (IATA):	663
CAO max net quantity (IATA):	220L
ERG code (IATA):	6L

SAFETY DATA SHEET



ALTERNATIVE PLASTICS LTD

Dichloromethane EasyFix - thin

Inland waterway transport

Classification code (ADN):	T1
Special provisions (ADN):	516, 802
Limited quantities (ADN):	5 L
Excepted quantities (ADN):	E1
Carriage permitted (ADN):	T
Equipment required (ADN):	PP, EP, TOX, A
Ventilation (ADN):	VE02
Number of blue cones/lights (ADN):	0

Rail transport

Classification code (RID):	T1
Special provisions (RID):	516
Limited quantities (RID):	5L
Excepted quantities (RID):	E1
Packing instructions (RID):	P001, IBC03, LP01, R001
Special packing provisions (RID):	B8
Mixed packing provisions (RID):	MP19
Portable tank and bulk container instructions (RID):	T7
Portable tank and bulk container special provisions (RID):	TP2
Tank codes for RID tanks (RID):	L4BH
Special provisions for RID tanks (RID):	TU15
Transport category (RID):	2
Special provisions for carriage – Packages (RID):	W12
Special provisions for carriage - Loading, unloading and handling (RID):	CW13, CW28, CW31
Colis express (express parcels) (RID):	CE8
Hazard identification number (RID):	60

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Not listed on REACH Annex XVII

REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Not listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Not listed on the PIC list (Regulation EU 649/2012)

POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

SAFETY DATA SHEET

Dichloromethane EasyFix - thin



ALTERNATIVE PLASTICS LTD

Ozone Regulation (1005/2009)

Not listed on the Ozone Depletion list (Regulation EU 1005/2009)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and Acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant

SAFETY DATA SHEET



ALTERNATIVE PLASTICS LTD

Dichloromethane EasyFix - thin

ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

The classification complies with: ATP 12 Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.